

REFERENCES FOR ANGINA PATHWAY

1. Gibbons RJ, et al. ACC/AHA/ACP-ASIM Guidelines for the Management of Patients with Chronic Stable Angina. *J Am Coll Cardiol* 1999;33:2092-2197.
2. The Beta-Blocker Pooling Project Research Group. The beta-blocker pooling project (BBPP): subgroup findings from randomized trials in post infarction patients. *Eur Heart J* 1988;9:8-16.
3. Gibson RS, Boden WE, Theroux P et al. Diltiazem and reinfarction in patients with non-Q-wave myocardial infarction. Results of a double-blinded, randomized, multicenter trial. *N Eng J Med* 1986;315:423-9.
4. Psaty BM, Heckbert SR, Koepsell TD, et al. The risk of myocardial infarction associated with antihypertensive drug therapies. *JAMA* 1995;274:1326-30.
5. Thadani U, Fung HL, Darke AC, Parker JO. Oral isosorbide dinitrate in angina pectoris: comparison of duration of action and dose response relation during acute sustained therapy. *Am J Cardiol* 1982;49(2):411-9
6. Parker JD, Parker JO. Nitrate therapy for stable angina pectoris. *N Eng J Med* 1998; 338:520-31.
7. von Arnim T, for the TIBBS Investigators. Prognostic significance of transient ischemic episodes: response to treatment shows improved prognosis. *J Am Coll Cardiol* 1996;28:20-4.
8. Savonitto S, Ardissino D, Egstrup K, et al. Combination therapy with metoprolol and nifedipine versus monotherapy in patients with stable angina pectoris. Results of the International Multicenter Angina Exercise (IMAGE) Study. *J Am Coll Cardiol* 1996;27:311-6.
9. Rehnqvist N., Hjemadahl P, Billing E, et al. Effects of metoprolol vs. verapamil in patients with stable angina pectoris. *Eur Heart J* 1996; 17:76-81.
10. Fox KM, Mulcahy D, Findlay I, et al. The total ischaemic burden european trial (TIBET). *Eur Heart J* 1996;17:96-103.
11. von Arnim, T, for the TIBBS Investigators. Medical treatment to reduce total ischemic burden: Total ischemic burden bisoprolol study (TIBBS), a multicenter trial comparing bisoprolol and nifedipine. *J Am Coll Cardiol* 1995;25:231-8.
12. Kawanishi DT, Reid CL, Morrison EC, Rahimtoola SH. Response of angina and ischemia to long-term treatment in patients with chronic stable angina: a double-blinded randomized, individualized dosing trial of nifedipine, propranolol and their combination. *J Am Coll Cardiol* 1992;19:409-17.
13. Meyer TE, Adams C, Commerford P. Comparison of the efficacy of atenolol and its combination with slow-release nifedipine in chronic stable angina. *Cardiovasc Drugs Ther.* 1993;7:909-13.